

TIBIAL PLATEAU LEVELING OSTEOTOMY

TPLO



www.GerVetUSA.com
info@gervetusa.com

If we don't have the instrument
you're looking for,
we will **MANUFACTURE** it for you!

GerVetUSA™
Improving Instruments, Refining Surgeries



JOURNEY MISSION PARTNER
CORPORATE MEMBER

888 814 4650 - 516 385 3434 - 833 906 7575 ☎
1188 Willis Ave Suite#801, Albertson, NY 11507 📍

TPLO PLATES

Broad TPLO Plate Oblique 3.5mm, 3x3 Hole, 80mm Left

VG310-25 L

This Plate has a unique broad design that is oblique. It has 3 holes for screws to be drilled into them during plate positioning. It is specifically designed to be less prominent under the skin. It is highly biocompatible and ideal for TPLO surgery use.



Small TPLO Plate Oblique, 3x3 Hole, L&R

Small TPLO blade oblique has a small length and size that is suitable to be used in small canine breeds and cats. It has 3x3 holes and is available in both left and right variations. The robust German stainless structure allows long-term and reliable surgical use.

VG310-45 L

2.4mm, 3x3 Hole,
35mm Left

VG310-35 L

3.5mm, 3x3 Hole
55mm Left

VG310-35 R

3.5mm, 3x3 Hole
55mm Right

VG310-45 R

2.4mm, 3x3 Hole
35mm Right



Slocum Style TPLO Broad Plate

Slocum Style TPLO Broad Plate is used to give support to the canine proximal tibia. This saves the dog from limping. The overall style of this plate increases its functionality.

GV-STPLO-27BL

Plate 2.7 Broad Left

GV-STPLO-27BR

Plate 2.7 Broad Right

GV-STPLO 35BRL

Plate 3.5 Broad Left

GV-STPLO 35BRR

Plate 3.5 Broad Right



TPLO PLATES

Slocum Style TPLO Plate

Slocum Style TPLO plate is used to fix cruciate ligament rupture in canine TPLO surgeries. This plate is available in both left and right variations.



GV-STPLO 20L
2.0 Left



GV-STPLO 20R
2.0 Right



GV-STPLO-24L
2.4 Left



GV-STPLO-24R
2.4 Right



GV-STPLO-27L
2.7 Left



GV-STPLO-27R
2.7 Right



GV-STPLO 35L
3.5 Left



GV-STPLO 35R
3.5 Right

TPLO GV Broad Plate

Delta TPLO Broad Plate provides simple support to the canine proximal tibia. The holes on this plate keep the screws away from the articular surface.



GV-TPLO DEL 27BL
2.7 Broad Left



GV-TPLO DEL 27BR
2.7 Broad Right



GV-TPLO-DEL35BL
3.5 Broad Left



GV-TPLO-DEL35BR
3.5 Broad Right

TPLO Plates

TPLO GV Plates

GV-TPLO DEL 27L

2.7 Left

GV-TPLO DEL 35L

3.5 Left

GV-TPLO DEL 27R

2.7 Right

GV-TPLO DEL 35R

3.5 Right



Locking TPLO Plates

Locking TPLO Plates provide better support to the canine tibia by fixing it firmly on the bone through the locking mechanism. It is ideal for use in TPLO procedures.



GV-101-44-8-20-3X3MP

1.7" 8mm Width 2mm
Thickness 6 Holes

GV-TPLO BS2.7-B53

2" 8mm Width 2mm
Thickness 6 Holes



GV-TPLO-BS3.5B7-8

3" 8 Holes 21mm Width

GV-TPLO-35LPCR

3.5 Right

GV-TPLO-35LPCL

3.5 Left



GV-TPLOS55-8-20

2.2" 6mm width 2mm Thickness 8 Holes

Locking TPLO Plate Broad

Locking TPLO Plate Broad is fixed on the canine proximal tibia to provide support to the bone. The locking mechanism is ideal for TPLO surgical procedure.



GV-TPLO35BLPCL

3.5 Broad Left

GV-TPLO35BLPCR

3.5 Broad Right



Cancellous Screws - Fully Threaded

Cancellous Bone Screws 2.0mm - Fully Threaded

Cancellous Screws are utilized in TPLO surgery commonly. Their robust structure and fully tapered design are ideal to fix the plate in the knee joint of the canine. The pointed tip easily drills inside the bone and the stainless steel design allows long-term durability.



VG102-020-10
10mm Hex Head

VG102-020-12
12mm Hex Head

VG102-020-14
14mm Hex Head

VG102-020-16
16mm Hex Head

VG102-020-18
18mm Hex Head

VG102-020-20
20mm Hex Head

VG102-020-22
22mm Hex Head

VG102-020-24
24mm Hex Head



Cancellous Screws 3.0mm

These Cancellous Screws are ideally designed for the TPLO surgery in canine to repair the cranial cruciate ligament. Cancellous screws have tips that aren't tapered. They are pointed and drill easily into the bone during the surgical procedure.



VG102-030-10
10mm Hex Head

VG102-030-12
12mm Hex Head

VG102-030-14
14mm Hex Head

VG102-030-16
16mm Hex Head

VG102-030-18
18mm Hex Head

VG102-030-20
20mm Hex Head

VG102-030-22
22mm Hex Head

VG102-030-24
24mm Hex Head

VG102-030-26
26mm Hex Head

VG102-030-28
28mm Hex Head

VG102-030-30
30mm Hex Head

VG102-030-32
32mm Hex Head



VG102-030-34
34mm Hex Head

VG102-030-36
36mm Hex Head

VG102-030-38
38mm Hex Head

VG102-030-40
40mm Hex Head

Cancellous Bone Screws 4.0mm

Cancellous Screws have three parts i.e. the head, the shank, and the tip. They have a hex head design, a fully threaded shaft, and a pointed sharp tip. The tip inserts in the bone easily and the hex head provides easy fixation. Available in multiple sizes.



VG102-040-10
10mm Hex Head

VG102-040-12
12mm Hex Head

VG102-040-16
16mm Hex Head

VG102-040-18
18mm Hex Head

VG102-040-20
20mm Hex Head

VG102-040-22
22mm Hex Head

VG102-040-24
24mm Hex Head

VG102-040-28
28mm Hex Head

VG102-040-26
26mm Hex Head

VG102-040-30
30mm Hex Head

VG102-040-32
32mm Hex Head

VG102-040-34
34mm Hex Head

VG102-040-36
36mm Hex Head

VG102-040-38
38mm Hex Head

VG102-040-40
40mm Hex Head

VG102-040-42
42mm Hex Head

VG102-040-44
44mm Hex Head

VG102-040-45
45mm Hex Head



VG102-040-46
46mm Hex Head

VG102-040-48
48mm Hex Head

VG102-040-50
50mm Hex Head

VG102-040-52
52mm Hex Head

VG102-040-55
55mm Hex Head

VG102-040-60
60mm Hex Head

Cancellous Screws 4.0 mm - Fully Threaded 35mm Length Hex Head

VG102-040-35



Cancellous Bone Screws 4.0 mm Stainless Steel - Fully Threaded 14mm Length Hex Head

VG102-040-14



Cancellous Screws - Partially Threaded

Cancellous Screws 4mm - Partially Threaded

TPLO Cancellous Screws are specially designed for this surgical procedure. They have a very smooth shaft that is inserted into the plate during fixation procedures. They are available with partial threading on the lower side.



VG102-040-10P

10mm Length
Hex Head

VG102-040-12P

12mm Length
Hex Head

VG102-040-14P

14mm Length
Hex Head

VG102-040-16P

16mm Length
Hex Head

VG102-040-18P

18mm Length
Hex Head

VG102-040-20P

20mm Length
Hex Head

VG102-040-22P

22mm Length
Hex Head

VG102-040-24P

24mm Length
Hex Head

VG102-040-26P

26mm Length
Hex Head

VG102-040-28P

28mm Length
Hex Head

VG102-040-30P

30mm Length
Hex Head

VG102-040-32P

32mm Length
Hex Head

VG102-040-34P

34mm Length
Hex Head

VG102-040-35P

35mm Length
Hex Head

VG102-040-36P

36mm Length
Hex Head

VG102-040-40P

40mm Length
Hex Head

VG102-040-42P

42mm Length
Hex Head

VG102-040-44P

44mm Length
Hex Head



VG102-040-45P

45mm Length
Hex Head

VG102-040-46P

46mm Length
Hex Head

VG102-040-48P

48mm Length
Hex Head

VG102-040-50P

50mm Length
Hex Head

VG102-040-52P

52mm Length
Hex Head

VG102-040-55P

55mm Length
Hex Head

VG102-040-60P

60mm Length
Hex Head

Locking Screws (Self-Tapping)

Self-Tapping Locking Screw 2.7mm

This variation of the self-tapping screw has a 2.7mm head and a threaded design. The self-tapping ability allows the screw to be inserted in the bone without any pre-drilled and threaded holes. Available in multiple lengths.



VG103-027-10

Length 10mm

VG103-027-12

Length 12mm

VG103-027-14

Length 14mm

VG103-027-16

Length 16mm

VG103-027-18

Length 18mm

VG103-027-20

Length 20mm

VG103-027-22

Length 22mm

VG103-027-24

Length 24mm

VG103-027-26

Length 26mm

VG103-027-28

Length 28mm

VG103-027-30

Length 30mm

VG103-027-32

Length 32mm

Self-Tapping Locking Screw 3.5mm

Self-Tapping Locking Screws have a threaded design and a pointy tip that can be easily inserted into the bone during various orthopedic fracture repair procedures. These screws are crafted from surgical-grade stainless that is corrosion and rust-free.



VG103-035-10

Length 10mm

VG103-035-12

Length 12mm

VG103-035-14

Length 14mm

VG103-035-16

Length 16mm

VG103-035-18

Length 18mm

VG103-035-20

Length 20mm

VG103-035-22

Length 22mm

VG103-035-24

Length 24mm

VG103-035-26

Length 26mm

VG103-035-28

Length 28mm

VG103-035-30

Length 30mm

VG103-035-32

Length 32mm

VG103-035-34

Length 34mm

VG103-035-36

Length 36mm

VG103-035-38

Length 38mm

VG103-035-40

Length 40mm

VG103-035-45

Length 45mm

VG103-035-50

Length 50mm

VG103-035-55

Length 55mm

VG103-035-60

Length 60mm

VG103-035-65

Length 65mm

VG103-035-70

Length 70mm

Cortex Screws - Hex Head (Self-Tapping)

Cortex Bone Screw 1.5mm Self-Tapping

These bone screws tap their way into the bone themselves therefore, it is not recommended to be used on very hard surfaces. Their ideal design allows them to be inserted with ease and smoothly. Available in various lengths.



VG101-015-06
6mm Hex Head

VG101-015-07
7mm Hex Head

VG101-015-08
8mm Hex Head

VG101-015-09
9mm Hex Head

VG101-015-10
10mm Hex Head

VG101-015-11
11mm Hex Head

VG101-015-12
12mm Hex Head

VG101-015-14
14mm Hex Head

VG101-015-16
16mm Hex Head

VG101-015-18
18mm Hex Head

VG101-015-20
20mm Hex Head

Cortex Bone Screw 2.0mm Self-Tapping

This Bone Screw is hex headed and specifically designed for TPLO surgery in the canine. It is crafted from surgical grade German stainless that is bio-friendly to be used in surgeries. It ensures no complications after surgery.



VG101-020-06
6mm Hex Head

VG101-020-08
8mm Hex Head

VG101-020-10
10mm Hex Head

VG101-020-12
12mm Hex Head

VG101-020-14
14mm Hex Head

VG101-020-16
16mm Hex Head

VG101-020-18
18mm Hex Head

VG101-020-20
20mm Hex Head

VG101-020-22
22mm Hex Head

VG101-020-24
24mm Hex Head

VG101-020-26
26mm Hex Head

VG101-020-28
28mm Hex Head

VG101-020-30
30mm Hex Head

Cortex Bone Screw 2.4mm Self-Tapping Hex Head

This German forged screw is utilized in TPLO procedures to fix plates in the canine knee joint. There are various sizes of this screw available to be utilized in numerous surgical scenarios. Crafted from premium quality material.



VG101-024-06
6mm Hex Head

VG101-024-08
8mm Hex Head

VG101-024-10
10mm Hex Head

VG101-024-12
12mm Hex Head

VG101-024-14
14mm Hex Head

VG101-024-16
16mm Hex Head

VG101-024-18
18mm Hex Head

VG101-024-20
20mm Hex Head

VG101-024-22
22mm Hex Head

VG101-024-24
24mm Hex Head

VG101-024-26
26mm Hex Head

VG101-024-28
28mm Hex Head

VG101-024-30
30mm Hex Head

VG101-024-32
32mm Hex Head

VG101-024-34
34mm Hex Head

VG101-024-36
36mm Hex Head

VG101-024-38
38mm Hex Head

VG101-024-40
40mm Hex Head

Cortex Screw 2.7mm Self-Tapping Hex Head

Cortex Screws (TPLO) are designed with specific threading to be used in plate fixation in the knee joint of the canine. There are various variants of the same bone cortex screw available to be utilized in different surgeries of animals.



VG101-027-06
6mm

VG101-027-08
8mm

VG101-027-10
10mm

VG101-027-12
12mm

VG101-027-14
14mm

VG101-027-16
16mm

VG101-027-18
18mm

VG101-027-20
20mm

VG101-027-22
22mm

VG101-027-24
24mm

VG101-027-26
26mm

VG101-027-28
28mm

VG101-027-30
30mm

VG101-027-32
32mm

VG101-027-34
34mm

VG101-027-36
36mm

VG101-027-38
38mm

VG101-027-40
40mm

Cortex Bone Screw Self-Tapping 3.5mm

This Hex Headed Cortex Bone Screw is used in various veterinary orthopedic procedures to fix plates on long bones. These screws have a self-tapping design that means they don't need a drilled tapped hole.



VG101-035-10 10mm	VG101-035-12 12mm	VG101-035-14 14mm	VG101-035-16 16mm	VG101-035-18 18mm	VG101-035-20 20mm
VG101-035-22 22mm	VG101-035-24 24mm	VG101-035-26 26mm	VG101-035-28 28mm	VG101-035-30 30mm	VG101-035-32 32mm
VG101-035-34 34mm	VG101-035-36 36mm	VG101-035-38 38mm	VG101-035-40 40mm	VG101-035-42 42mm	VG101-035-44 44mm
	VG101-035-45 45mm	VG101-035-46 46mm	VG101-035-48 48mm	VG101-035-50 50mm	

Cortical Bone Screw 4.5mm - Self-Tapping

Cortex Bone Screw has shallow threading and a robust structure. These screws are used in long bones to fix plates on them during numerous orthopedic procedures. Their self-tapping design allows easy insertion into the bone.



VG101-045-12 12mm	VG101-045-14 14mm	VG101-045-16 16mm	VG101-045-18 18mm	VG101-045-20 20mm	VG101-045-22 22mm
VG101-045-24 24mm	VG101-045-26 26mm	VG101-045-28 28mm	VG101-045-30 30mm	VG101-045-32 32mm	VG101-045-34 34mm
VG101-045-36 36mm	VG101-045-38 38mm	VG101-045-40 40mm	VG101-045-42 42mm	VG101-045-44 44mm	VG101-045-46 46mm
VG101-045-48 48mm	VG101-045-50 50mm	VG101-045-52 52mm	VG101-045-56 56mm	VG101-045-60 60mm	VG101-045-65 65mm
VG102-045-70 70mm Hex Head	VG101-045-75 75mm Hex Head	VG101-045-80 80mm Hex Head	VG101-045-85 85mm Hex Head	VG101-045-90 90mm Hex Head	VG101-045-100 1mm Hex Head
					VG101-045-110 110mm Hex Head

TPLO SAW BLADES

Tibial Plateau Leveling Osteotomy Saw Blade

VG100-100 10mm with Mandrel	VG100-130 13mm with Mandrel	VG100-150 15mm with Mandrel
VG100-180 18mm with Mandrel	VG100-210 21mm with Mandrel	VG100-240 24mm with Mandrel
VG100-270 27mm with Mandrel	VG100-300 30mm with Mandrel	



Screw Containers



(TPLO) Tibial Plateau Leveling Osteotomy Box For Cortical Screws

VG800-00

Cortical Screws 2.4mm



VG800-01

Cortical Screws 2.7mm



VG800-02

Cortical Screws 3.5mm



Compression Plates

T-Plate Locking Curved Head

T-Plate Locking Curved Head is a surgical plate used in TPLO procedures to fix cruciate ligament ruptures. It comes with a locking curved head.



GV-101-75-10-24-5X2T

T Plate Locking 76mm Length 10mm Width 2.4mm Thickness Curved Head 5x2 Holes



GV-1305-22-40-8X2

T Plate Locking 129mm Length 22mm Width 4mm Thickness Curved Head 8x2 Holes



GV-1305-22-40-10X2

T Plate Locking 132mm Length 22mm Width 4mm Thickness Curved Head 10x2 Holes

Swiss Style Compression Plate

Swiss Style Compression Plate is used to fix bones after a fracture. The bone fragments are joined together through compression. It is ideal for use in orthopedic surgeries.



GV-SSP-28-8-20-3

Plate 28mm Length 8mm Width
2mm Thickness 3 Holes



GV-SSP-35-8-20-4

Plate 35mm Length 8mm Width
2mm Thickness 4 Holes



GV-SSP-44-8-20-05

Plate 44mm Length 8mm Width
2mm Thickness 5 Holes



GV-SSP-52-8-20-6

Plate 52mm Length 8mm Width
2mm Thickness 6 Holes



GV-SSP-60-8-25-7

Plate 60mm Length 8mm Width
2.5mm Thickness 7 Holes



GV-SSP-68-8-25-8

Plate 68mm Length 8mm Width
2.5mm Thickness 8 Holes



GV-SSP-76-8-25-9

Plate 76mm Length 8mm Width
2.5mm Thickness 9 Holes



GV-SSP-84-8-25-10

Plate 84mm Length 8mm Width
2.5mm Thickness 10 Holes



GV-SSP-116-5-25-13

Plate 116mm Length 5mm Width
2.5mm Thickness 13 Holes



GV-SSP-118-8-25-14

Plate 118mm Length 8mm Width
2.5mm Thickness 14 Holes

GV Style Compression Plate

GV Style Compression Plate provides support to the fractured bone and restores stability. The bone fragments are compressed to fix the bone.



GV-101-37-12-4-2

Plate 37mm Length 14mm Width
4mm Thickness 2 Holes



GV-101-55-12-4-3

Plate 55mm Length 12mm Width
4mm Thickness 3 Holes



GV-101-73-12-4-4

Plate 73mm Length 12mm Width
4mm Thickness 4 Holes



GV-101-86-14-49-10CP

Plate 86mm Length 14mm Width
4.9mm Thickness 10 Holes



GV-101-91-12-4-5

Plate 91mm Length 12mm Width
Thickness 5 Holes



GV-101-109-12-4-6

Plate 109mm Length 12mm Width
4mm Thickness 6 Holes



GV-101-127-2-4-7

Plate 127mm Length 12mm Width
4mm Thickness 7 Holes



GV-101-145-12-4-8RD

Plate 145mm Length 12mm Width
4mm Thickness 8 Round Holes



GV-101-145-12-4-8

Plate 145mm Length 12mm Width
4mm Thickness 8 Holes



GV-101-163-12-4-9

Plate 163mm Length 12mm Width
4mm Thickness 9 Holes



GV-101-199-12-4-9

Plate 199mm Length 12mm Width
4mm Thickness 9 Holes



GV-101-181-12-4-10RD

Plate 181mm Length 12mm Width
4mm Thickness 10 Round Holes



GV-101-199-12-4-11

Plate 199mm Length 12mm Width
4mm Thickness 11 Holes



GV-101-217-12-4-9

Plate 217mm Length 12mm Width
4mm Thickness 9 Holes



GV-101-217-12-4-12

Plate 217mm Length 12mm Width
4mm Thickness 12 Holes




GV-101-222-14-49-NLP

Plate 222mm Length 14mm Width
4.9mm Thickness 10 Holes

TPLO Oscillating Power Saw

This oscillating saw is the new product offers an excellent design light weight feature and no electrical wires. Easy to operate in order to increase the efficiency in the operating room.



- TPLO Saw With 2 Battery •
- 1 Charger •
- 1 Transfer Kit •
- 1 Key •
- 3 Screw •
- Sterilizing Case •

6 Months Battery Warranty,
Warranty Voids If Battery Autoclaved

VG500-10
Veterinary Use Only



TPLO KIT

G46-3941

- 1 Stifle Distractor/Lever 11"

G46-313

- 1 Meniscus Probe- Dandy Nerve Hook 9" 1x5mm Tip

G18-292

- 1 Castroviejo Caliper 3 1/4"

G13-56

- 2 Gelpi Retractor 7 1/2" Standard 19cm Sharp Tips

G24-424

- 1 Holding Sleeve 1 1/2" for Mini Cruciform and Hexagonal Shafts

G11-37

- 2 Rochester Ochsner Forceps Straight 6 1/4" Delicate

G17-09

- 1 Mayo Scissors Straight 5 1/2" Tungsten Carbide

G10-133

- 2 Metzenbaum Dissecting Scissors 5" Standard Straight

G46-92

- 1 Adson Suction Tube 8 1/2" 15 French

G08-01

- 1 Knife Handle No 3

G11-69

- 1 Rankin Kelly Forceps Curved 6 1/4"

G22-009

- 1 Periosteal Elevator 7 3/4" Wide Round Edge Phenolic Handle Curved 14mm

Pin Pack

G39-284

- 10 K-Wire Double Trocar Threaded 9" 1.6mm .062" pkg/6

G39-436

- 10 Steinmann Pin Double Trocar Threaded 9" 2.0mm 5/64"

G39-438

- 10 Steinmann Pin Double Trocar Threaded 9" 2.4mm 3/32"

G39-442-2

- 10 Steinmann Pin Double Trocar Threaded 9" 3.2mm 1/8" pkg/2



Plates

VG310-35 L

- 5 Small TPLO Plate Oblique 3.5mm, 3x3 Hole, 55mm Left

VG310-35 R

- 5 Small TPLO Plate Oblique 3.5mm, 3x3 Hole, 55mm Right

GV-STPLO-27L

- 5 Slocum Style TPLO Plate 2.7 Left

GV-STPLO-27R

- 5 Slocum Style TPLO Plate 2.7 Right

GV-STPLO 35L

- 5 Slocum Style TPLO Plate 3.5 Left

GV-STPLO 35R

- 5 Slocum Style TPLO Plate 3.5 Right

GV-TPLO DEL 27BL

- 5 Delta TPLO Plate 2.7 Broad Left

GV-TPLO DEL 27BR

- 5 Delta TPLO Plate 2.7 Broad Right

GV-TPLO-DEL35BL

- 5 Delta TPLO Plate 3.5 Broad Left

GV-TPLO-DEL35BR

- 5 Delta TPLO Plate 3.5 Broad Right



TPLO KIT